

- 1. ALL DIMENSIONS ARE IN DECIMAL INCHES.
- 2. PRECAST MATERIALS AND MANUFACTURING METHODS SHALL CONFORM TO ASTM C-913.

SECTION A-A

BOX DESIGN LOAD H-20 TRAFFIC.

FLOOR OPTIONAL

- CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH F C= 4000 PSI AT 28 DAYS.
- THE PORTLAND CEMENT USED IN THE PRECAST SECTIONS SHALL MEET THE REQUIREMENTS OF TYPE II/V HIGH SULFATE RESISTANT CEMENT IN ACCORDANCE WITH ASTM C-150.



THE CONTENTS OF THESE DRAWINGS
ARE THE PROPERTY OF PRECON PRODUCTS
AND ARE PROISTRAY AND CONFIDENTIAL.
THESE DOCUMENTS SHALL NOT BE
DISSMINATED FOR ANY OTHER USE,
WITHOUT THE WRITTEN CONSENT OF
PRECON PRODUCYS. IF YOU RECEIVE
THESE DRAWINGS IN ERROR, RETURN
TO SENDER WITHOUT READING, COPYING
OR DISCLOSING THE CONTENTS.

DATE:
7/2/2021

CATCH BASIN 36"x 36" STANDARD 1 OF 1

DO NOT SCAL

LOCATION:T:\Drawings\Vault\DESIGNS\CATCH BASINS\CB_CUT SHEETS\CB3636 STD.dwg